# Clean Earth of North Jersey, Inc.

115 Jacobus Avenue, Kea	rny, NJ 07032 (973) 344-4004		Generic Code D) B)
A. <u>GENERATOR INFORMATION</u>			Customer #
Generator's Name			
Mailing Address			Technical Rep. Initials
Waste Pickup Address EPA ID No.	MSDS Attached	No	Broker Name (if applicable)
Tech Contact	Phone		Approval Date
Common Name of Waste			D. TOXICITY CHARACTERISTICS
Decessor Occurrentia a Microte			

Process Generating Wa	aste							Contaminant	EPA Waste
Riennial Report Codes:	SIC Code	Source Code A		For	m Code	B		Arsenic	D004
Dichiniar report obuco.								Barium	D005
	Origin Code	System Ty	ре		-			Cadmium	D006
le this waste from a	nlant closur	e or plant clean un?		• 🗆	No			Chromium	D007
Is this waste from a plant closure or plant clean up?							Chromium CR+ 6	D007	
								Lead	D008
B. <u>PHYSICAL/CH</u>	IEMICAL C	<u>HARACTERISTIC</u>						Mercury	D009
	рц		DEDCI			חווע		Selenium	D010
REACTIVITY (PPM)		I <u>YSICAL STATE</u> @ 70°F		<u>ENT LIQ</u>	010/30			Silver	D011
Total Cyanides Amenable Cyanides	U		Total So Suspen				_ %	Benzene	D018
Reactive Sulfides	[]	Powder	Free Lic	uid			_ %	Carbon Tetrachloride	D019
Check if waste is:		Semi-Solid	Water				_ %	Chlordane	D020
Water Reactive		Single Phase						Chlorobenzene	D021
<ul> <li>Air Reactive</li> <li>Shock Sensitive</li> </ul>		,	IGNIT/	BILITY		SPECIFIC		Chloroform	D022
Generates Toxic Fumes			Liquids	:		<u>GRAVITY</u>		o-Cresol	D023
When mixed with Acid, B or H2O	ase			Point °F		<.8		m-Cresol	D024
	<u>CC</u>	RROSIVITY (pH)	□ <1(			<u>≥.8 ≤1</u> >1 <1.2		p-Cresol	D025
<u>ODOR</u>		<u>&lt;</u> .2.0		/0° <u>&lt;</u> 140°		>1.2		Cresol	D026
None Mild S	trong 🗌	2.01 - 5.0	>14	0° <u>&lt;</u> 200°		-		2,4-D	D016
Describe		5.01 - 9.0 9.01 - 12.49	□ >20			Exact:		1,4-Dichlorobenzene	D027
	LI			udi				1,2-Dichloroethane	D028
			Solids:					1,1-Dichloroethylene	D029
COLOR		Exact pH	Yes 🗌	🗌 No				2,4-Dinitrotoluene	D030
C. CHEMICAL CO	OMPOSITI	าก						Endrin	D012
				Check if				Heptachlor (and its episode)	D031
				SARA Title III	SARA I EHS	II Range MinMax.		Hexachlorobenzene	D032
				Sec 313				Hexachlorobutadiene	D033
							%	Hexachloroethane	D034
								Lindane	D013
							%	Methoxychlor	D014
							%	Methyl Ethyl Ketone	D035
							%	Nitrobenzene	D036
				$\square$			%	Pentachlorophenol	D037
				$\square$			%	Pyridine	D038
							%	Tetrachloroethylene	D039
								Toxaphene	D015
				$\square$			%	Trichhloroethylene	D040
							%	2,4,5-Trichlorophenol	D041

Please note the chemical composition total in the range (Max.) column must be greater than or equal to 100 percent.

Contaminant	EPA Waste #	Regula- tory Level (mg/L)	Actual Level
Arsenic	D004	5.0	
Barium	D005	100.0	
Cadmium	D006	1.0	
Chromium	D007	5.0	
Chromium CR+ 6	D007	5.0	
Lead	D008	5.0	
Mercury	D009	0.2	
Selenium	D010	1.0	
Silver	D011	5.0	
Benzene	D018	0.5	
Carbon Tetrachloride	D019	0.5	
Chlordane	D020	0.03	
Chlorobenzene	D021	100.0	
Chloroform	D022	6.0	
o-Cresol	D023	200.0 **	
m-Cresol	D024	200.0 **	
p-Cresol	D025	200.0 **	
Cresol	D026	200.0 **	
2.4-D	D016	10.0	
1,4-Dichlorobenzene	D027	7.5	
1.2-Dichloroethane	D028	0.5	
1,1-Dichloroethylene	D029	0.7	
2,4-Dinitrotoluene	D030	0.13 *	
Endrin	D012	0.02	
Heptachlor (and its episode)	D031	0.008	
Hexachlorobenzene	D032	0.13 *	
Hexachlorobutadiene	D033	0.5	
Hexachloroethane	D034	3.0	
Lindane	D013	0.4	
Methoxychlor	D014	10.0	
Methyl Ethyl Ketone	D035	200.0	
Nitrobenzene	D036	2.0	
Pentachlorophenol	D037	100.0	
Pyridine	D038	5.0 *	
Tetrachloroethylene	D039	0.7	
Toxaphene	D015	0.5	
Trichhloroethylene	D040	0.5	
2,4,5-Trichlorophenol	D041	400.0	
2,4,6-Trichlorophenol	D042	2.0	
2,4,5-TP (Silvex)	D017	1.0	
Vinyl chloride	D043	0.2	
* Quantitation limit is gre	ater than the	calculated regu	latory level. The

Approval Code D) B)

quantitation limit therefore becomes the regulatory level. \*\* If o-,m- and p-Cresol concentrations cannot be differentiated, the

\_\_\_\_\_%

\_\_\_\_\_%

\_\_\_\_\_%

%

TOTAL

total Cresol (D026) concentration is used. The regulatory level of total Cresol is 200mg/L.

E. <u>HAZARDOUS CHARACTERISTICS</u>	F. <u>IDENTIFY THE H</u>	IEALTH HAZARD CHARACTERISTIC	S FROM THE TABLE BELOW
Radioactive       Compressed Gas         Infectious       Flammable Solid         Toxic       Organic Peroxide         Explosive       Shock Sensitive         Pyrophoric       Reactive Metals         Oxidizer       (Specify in section C)         Corrosive       Other Describe         Other Describe	Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard	<ul> <li>None</li> <li>Highly Toxic</li> <li>Toxic</li> <li>Irritant</li> <li>Sensitizer</li> <li>Corrosive</li> <li>Other Hazardous Chemicals with an advergenerally occurs as a result of short term duration.</li> <li>Carcinogens (if carcinogens are known to carcinogen in Section C)</li> <li>Other Hazardous Chemicals with an advergenerally occurs as a result of long term of generally occ</li></ul>	exposure and with a short o be in waste, specify the erse effect on a target organ that
Other Describe Quantity	Per		
H. <u>MANIFEST INFORMATION</u> Is this a DOT Hazardous Material? Yes No Proper DOT shipping name (49CFR table 172.101)		Rq. Units (lb/	'kg)
DOT Hazard Class / Division:	UN/U	A Packing Group (	select one)
Additional descriptions requirements (49CFR 172.203)			
Emergency response telephone number (49CFR 172.604)		Contact (print name)	
If yes, if the waste is a characteristic hazardous waste, does it co	, ,		
Does this waste contain any herbicides, pesticides, dixon or resid	lues thereof?	No If yes, list compound and concent	ration in Section C.
Is this waste prohibited from land disposal under 40CFR Part 268	3? 🗌 Yes 🗌 No		
If yes, list waste subcategory description, if applicable			or check none 🗌 None
Is this waste a (check one) Non-Wastewater Wastew Benzene NESHAP applicability: Is waste subject to management Yes No If yes, give benzene concentration If this waste is a RCRA Hazardous Waste, does it contain VOCs Are there any special handling instructions for the disposal of this	under National Emission Sta	(40CFR Subpart CC)? Yes No	ded in 40CFR Part 61 Subpart FF?
J. <u>AUTHORIZATION TO CORRECT WMPS</u> I AUTHORIZE CLEAN EARTH OF NORTH JERSEY TO MAKE ( ANALYSIS AND REGULATORY REQUIREMENTS. I UNDERST Signature			
K. <u>SPECIAL HANDLING COMMENTS</u>		L. <u>OFFICIAL USE ONLY</u>	M. <u>APPROVAL</u> Safety
			_ Environ
			-
N. POLYCHLORINATED BIPHENYL (PCB), HER	BICIDE INSECTION		- N WARRANTY
I hereby warrant that the material transferred to Clean Earth of N >1% asbestos and is not contaminated by either Polychlorinated approved by CENJ, nor does it contain Elemental Aluminum or R	orth Jersey (CENJ) for transp Biphenyl or Herbicide/Pestici	portation, treatment, storage and/or disposal is no ide/Insecticide or Dioxins or Furans of any value	ot radioactive waste, does not contain unless it is listed in Section C and

Profile Sheet, including the indemnification listed on the back page. O. The inforamtion on this Waste Material Profile Sheet (WMPS) may have been prepared by other individuals. By signing Section O of this WMPS, I certify that all information, including any attached information, is complete and is an accurate representation of the waste and its known or suspected hazards.

to indemnify and hold CENJ harmless from any costs, damages, or other liability resulting from breach of this warranty or any other terms and conditions of this Waste Material

Clean Earth of North Jersey has all of the appropriate permits for and will accept the waste that has been characterized/identified by this Approved Waste Material Profile Sheet.

### WASTE MATERIAL PROFILE SHEET INSTRUCTIONS

The following information is required of all waste to be considered for transportation, storage, treatment or disposal. It is used to determine that the waste may be transported, stored, treated or disposed of in a legal, safe and environmentally sound manner. All questions must be answered and completed in ink. Response of "NONE" or "NOT APPLICABLE" should be made if appropriate. Most items required are self-explanatory. Other items need definition or instruction as follows:

#### PART A - GENERATOR INFORMATION

### **GENERATOR NAME AND ADDRESS-** As notified to EPA.

MAILING ADDRESS- Should be the location that will manage the returned waste profile sheets and manifest.

**US EPA ID-** For the facility generating the waste.

**TECHNICAL CONTACT-** A person who could give additional information about the waste, if needed.

**COMMON NAME OF WASTE-** A name which will be generally descriptive of the waste; a generic classification (e.g., paint, oil and water).

**PROCESS GENERATING WASTE-**Specific descriptive process or source which generates the waste.

### PART B - PHYSICAL/CHEMICAL CHARACTERISTICS OF WASTE

**ODOR-** If present, describe as well as possible (e.g., solvent, acrid, sweet).

COLOR- Self explanatory.

PHYSICAL STATE- Check as many as apply. FLASH POINT/IGNITABILITY- A value attained using the appropriate testing method as

set forth in 40CFR Part 261.21. **AIR REACTIVE-** Will ignite spontaneously in

air. **SHOCK SENSITIVE-** Normally unstable and

readily undergoes violent change without detonating.

**GENERATES TOXIC FUMES-** In sufficient quantity to endanger human health or the environment when mixed with water, acid or base.

PERCENT LIQUID/SOLID- List the % total solids, suspended solids, free liquids and water. SPECIFIC GRAVITY- The weight of the water compared to the weight of an equal volume of the waste.

#### PART C - CHEMICAL COMPOSITION

List all organic and/or inorganic components of the waste using specific chemical names. If trade names are used, Material Safety Data Sheets or other documents which adequately describe the composition of the waste must be provided. For each component indicate expected percent or range in which the component is present. In case of extreme pH (less than 2 or greater than 12.5) indicate specific acid or caustic species. Any hazardous components present in "trace" amounts and not specifically mentioned in PARTS D, F and/or H should be included, even if specific concentrations are not known. Any components listed in PARTS D, F, and/or H which exceed 10,000 PPM (1%) must be included. Components must total to 100% including water, earth or other components. If a unit of measure other than percent must be used, indicate that unit. Indicate which, if any, of the constituents are listed in SARA, Title III, Section 313. This list can be found at 40CFR Part 372. Also, indicate which, if any, of the constituents are listed in SARA, Title III, EHS Section 302. This list can be found at 40 CFR Part 355; Appendices A and B.

#### PART D - TOXICITY CHARACTERISTIC

Use the appropriate line to indicate the actual level, specified ranges or if below regulated level for each toxicity characteristic as defined by 40CFR Part 261.24.

#### PART E - HAZARDOUS CHARACTERISTICS

Complete if the waste exhibits any of the hazardous characteristics as per OSHA 29CFR Part 1910.1200 Hazard Communications Standard.

#### PART F - SARA/OSHA

See below for detailed directions.

#### PART G - SHIPPING INFORMATION

Indicate method of shipment and type of container. If drums, they must be as specified in 49CFR Part 173, 178 or 179. Indicate quantity to be shipped during specified time frame (e.g., 10 drums per month).

#### PART H - MANIFEST INFORMATION

Is the waste a US DOT hazardous material as defined in 49CFR Part 172.101? If yes, enter the **SHIPPING NAME, HAZARD CLASS/DIVISION, DOT ID NUMBER, R.Q.** (Reportable Quantity) as defined in 49CFR and identify applicable **PACKAGING GROUP**. Enter the technical names of at least two most predominant components which contribute to the hazards of the mixture or solution for all proper shipping names found in 49CFR Part 172.203 (k)3. Enter the Emergency Response Telephone number and contact name as required by 49CFR Part 172.604.

#### PART I - WASTE CHARACTERISTICS

Use this section to properly list all applicable US EPA/STATE Hazardous Waste Numbers and identify any waste that may be prohibited from land disposal under 40CFR Part 268.

### PART J - AUTHORIZATION TO CORRECT WMPS

Provide generator's signature in this section to allow CENJ to make corrections on the WMPS that are consistent with the results of sample analysis and regulatory requirements. Signing this section will help expedite the approval process in the event corrections need to be made.

#### PART K - SPECIAL HANDLING/ COMMENTS

Use this section to alert the handlers of the waste of any precautions that should be taken or if the waste requires special safety or personal protective equipment. Use this space to list any additional information that may help in managing this waste.

#### PARTS N/O - WARRANTIES/ SIGNATURE

Please read these warranties carefully. If any of these warranties cannot be certified, state the reason in Section K, Comments. The generator of the waste must sign and date the Generator's Waste Material Profile Sheet.

#### \*PART F - CONTINUED, Instructions on Health Hazard Characterization

Identify by checking the box which most appropriately describes the hazardous characteristics as defined below:

#### NONE

Self-explanatory.

#### HIGHLY TOXIC

(a) A chemical that has a median lethal dose
(LD50) of 50 milligrams or less per kilogram of body weight when administered orally to albino rats weighing between 200 and 300 grams each.
(b) A chemical that has a median lethal dose
(LD50) of 200 milligrams or less per kilogram of body weight when administered by
continuous contact for 24 hours (or less if death occurs within 24 hours) with the bare skin of albino rabbits weighing between 2 and 3 kilograms each.

(c) A chemical that has a median lethal concentration (LC50) in the air of 200 parts per million by volume or less of gas or vapor, or 2 milligrams per liter or less of mist, fume or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 and 300 grams each.

#### TOXIC

(a) A chemical that has median lethal dose (LD50) of more than 50 milligrams per kilogram but not more than 500 milligrams per kilogram of body weight when administered orally to albino rats weighing between 200 and 300 grams each.

(b) A chemical that has a median lethal dose (LD50) of more than 200 milligrams per kilogram but not more than 1000 milligrams per kilogram of body weight when administered by continuous contact for 24 hours (or less if death occurs within 24 hours) with the bare skin of albino rabbits weighing between 2 and 3 kilograms each.

(c) A chemical that has a median lethal concentration (LC50) in air of more than 200 parts per million but not more than 2000 parts per million by volume of gas or vapor, or more than two milligrams per liter but not more than 20 milligrams per liter of mist, fume, or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 and 300 grams each.

#### IRRITANT

Irritant means a chemical substance or mixture, not a corrosive which on immediate, prolonged or repeated contact with normal living tissues induces a local inflammatory response in the skin, eyes or mucous membranes per 16CFR Part 1500.41.

#### SENSITIZER

Sensitizer means a chemical substance or mixture that causes a substantial number of persons to develop a hypersensitive reaction in normal tissue upon reapplication of the chemical substance or mixture through an allergic or photodynamic reaction.

#### CORROSIVE

Corrosive Material means a chemical liquid or solid that causes visible destruction or irreversible alteration in human skin tissue at the site of contact or in the case of leakage from its packaging, a liquid that has a severe corrosion rate on steel.

(1) A Material is considered to be destructive or to cause irreversible alteration in skin tissue if, when tested on the intact skin of the albino rabbit by the method described in Appendix A of 49CFR Part 173, the structure of the tissue at the site of contact is destroyed or changed irreversibly after an exposure period of 4 hours or less.

(2) A liquid is considered to have a severe corrosive rate if its corrosion rate exceeds 0.250 inch per year (IPY) on steel (SAE 1020) at a test temperature of 103F.

## OTHER HAZARDOUS CHEMICALS ... Short Term

Acute (short term) refers to the adverse effects that normally are evident immediately or shortly after the exposure. Appropriate information on the effects of inhalation and skin or eye exposure should be entered here. The information should be in the form of simple symptomatic statements such as "pale and nauseous," "dizzy feeling," "weak," "irritation," etc. Again, refer to supplier MSDSs, the NPCA Labeling Guide or any other appropriate source for hazard warning language.

#### CARCINOGENS

Carcinogen means a chemical which has been demonstrated to cause cancer in humans or to cause cancer in animals and, therefore, is considered capable of causing cancer in humans. A chemical is considered to be a carcinogen if:

(a) it has been evaluated by the International Agency for Research on Cancer (IARC) and found to be a carcinogen or potential carcinogen; or

(b) it is listed as a carcinogen or potential carcinogen in the Annual Report on
Carcinogens published by the National
Toxicology Program (NTP) (latest edition); or
(c) it is regulated by OSHA as a carcinogen.

### OTHER HAZARDUS CHEMICALS ... Long Term

Chronic (long term, cumulative) refers to the adverse effects that develop slowly over a long period of time or upon repeated prolonged exposure. Appropriate information on the effects of chronic overexposure should be reported here. Evidence of carcinogenicity, asbestosis, sensitization, etc., should be indicated here. Known or suspect mutagens or teratogens must also be identified here. Mutagen means those chemical or physical effects which can alter genetic material in an organism and results in physical or functional changes in all subsequent generations. Teratogen means a chemical which has been demonstrated to cause physical defects in the developing embryo.

#### SAMPLES

If the generator cannot properly characterize their waste, a representative sample must accompany each Waste Material Profile Sheet submitted to CENJ. The only exception would be for virgin material where a Material Safety Data Sheet (MSDS) has been submitted with the Profile Sheet.

All samples must be taken according to 40CFR Part 261 Appendix I or the New Jersey DEP Field Sampling Procedures Manual.

All samples must be packaged according to US DOT, US EPA and any other applicable regulations.

Each sample container must be properly labeled to comply with NJAC 7:26 - 8.2(A) 12ii and NJAC 8:59 - Subchapter 5 and any other applicable regulations.

A CENJ Chain of Custody Record must be completed and submitted with each sample. Samples which are not properly classified, described, packaged, marked, labeled and in the proper condition to transport according to the applicable regulations of the US DOT, OSHA, NJ DEP, New Jersey Worker and Community Right-to-Know Act and/or any other applicable regulations may be rejected and returned at the generator's expense.

#### INDEMNITY

Customer hereby agrees to indemnify and hold CENJ harmless from and against any and all loss, damage, suits, liability and expenses (including, but not limited to, reasonable investigation and legal expenses) arising out of any claim for loss of or damage to property, including CENJ's property, and injuries to or death of persons, including customer's or CENJ's employees, caused by or resulting from the negligence or willful misconduct or violation of any federal, state or local laws or regulations of customer, its employees or agents. CENJ hereby agrees to indemnify and hold customer harmless from and against all loss, damage, suits, liability and expenses (including, but not limited to, reasonable

investigation and legal expenses) arising out of any claim for loss of or damage to property, including customer's property, and injuries to or death of persons, including CENJ's or customer's employees, to the extent caused by or resulting from the negligence or willful misconduct of CENJ, its employees or agents.

#### **DISTRIBUTION OF COPIES**

Retain a copy for your records. Send a copy of this Generator's Waste Material Profile Sheet and attachments within the sample shipping package, ensuring that if the sample leaks, the paperwork will remain intact. Send this package to the address below.

Clean Earth of North Jersey, Inc.

115 Jacobus Avenue Kearny, NJ 07032 T 973-344-4004 F 973-344-8652